AUTHOR INDEX

Al-Hasani, S., see Arnold, W.M. (905) 454
Alvarez, J., see Cairns, M.T. (905) 295
Alvaro, D., see Angelico, M. (905) 91
Amler, E., Teisinger, J. and Svoboda, P.
Mg^{2+}-induced changes of lipid order and conformation of $(Na^+ + K^+)$-ATPase (905) 376
Anderson, R., Daya, M. and Reeve, J.
An evaluation of the contribution of membrane lipids to protection against ultraviolet radiation (905) 227
Angelico, M., Alvaro, D., Masella, R., Corradini, S.G. and Cantafora, A.
Transport, utilization and biliary secretion of lysophosphatidylcholine in the rat liver (905) 91
Arnold, W.M., Schmutzler, R.K., Schmutzler, A.G., Van der Ven, H., Al-Hasani, S., Krebs, D. and Zimmermann, U.
Electro-rotation of mouse oocytes: single-cell measurements of zona-intact and zona-free cells and of the isolated zona pellucida (905) 454
Au, K.S.
Activation of erythrocyte membrane Ca^{2+}-ATPase by calpain (905) 273

Bacher, A., see Faff, O. (905) 48
Bacon, R.A., Wu, K.I., Ying, A.L. and Kempson, S.A.
Colchicine blocks the action of parathyroid hormone but not nicotinamide on renal phosphate transport (905) 268
Baldwin, S.A., see Cairns, M.T. (905) 295
Bamberg, E., see Gutman, M. (905) 390
Barstad, A.W., see Smejtek, P. (905) 213
Benga, G., Pop, V.I., Popescu, O., Hodârnău, A., Borza, V. and Presecan, E.
Effects of temperature on water diffusion in human erythrocytes and ghosts – nuclear magnetic resonance studies (905) 339
Ben-Shaul, Y., see Faff, O. (905) 48
Bhakdi, S., see Menestrina, G. (905) 109
Bokking, O.R., see Tournois, H. (905) 222
Borza, V., see Benga, G. (905) 339
Bouthier, M., see Teulon, J. (905) 125
Bradrick, T.D. and Georghiou, S.
Kinetics of melittin-induced fusion of dipalmitoylphosphatidylcholine small unilamellar vesicles (905) 494
Brasitus, T.A., see Dudeja, P.K. (905) 485

Cabantchik, Z.I., see Stutzin, A. (905) 205
Cairns, M.T., Alvarez, J., Panico, M., Gibbs, A.F., Morris, H.R., Chapman, D. and Baldwin, S.A.
Investigation of the structure and function of the human erythrocyte glucose transporter by proteolytic dissection (905) 295
Cantafora, A., see Angelico, M. (905) 91
Chapman, D., see Cairns, M.T. (905) 295
Cheeseman, C.I., see Thomson, A.B.R. (905) 426
Christensen, B., see Gutman, M. (905) 390
Christian, S.T., see Monti, J.A. (905) 133
Clandinin, M.T., see Thomson, A.B.R. (905) 426
Cohen, E., see Faff, O. (905) 48
Colombini, M., Yeung, C.L., Tung, J. and König, T.
The mitochondrial outer membrane channel, VDAC, is regulated by a synthetic polyanion (905) 279
Corradini, S.G., see Angelico, M. (905) 91
Cushley, R.J., see Thewalt, J.L. (905) 329

Daya, M., see Anderson, R. (905) 227
De Foresta, B., Rogard, M., Le Maire, M. and Gallay, J.
Effects of temperature and benzyl alcohol on the structure and adenylate cyclase activity of plasma membranes from bovine adrenal cortex (905) 240
De Gier, J., see Tournois, H. (905) 222
De Kruijff, B., see Tournois, H. (905) 222
De Pinto, V., Prezioso, G. and Palmieri, F.
A simple and rapid method for the purification of the mitochondrial porin from mammalian tissues (905) 499
De Pont, J.J.H.H.M., see Helmich-de Jong, M.L. (905) 358
Disalvo, E.A.
Leakage from egg phosphatidylcholine vesicles induced by Ca^{2+} and alcohols (905) 9
Donoff, B., see Rangachari, P.K. (905) 311
Draaijer, M., see Hendriks, H.G.C.J.M. (905) 371
Dudeja, P.K., Foster, E.S. and Brasitus, T.A.
Modulation of rat distal colonic brush-border membrane Na^+–H^+ exchange by dexamethasone: role of lipid fluidity (905) 485

Faff, O., Cohen, E., Bacher, A. and Ben-Shaul, Y.
Proteinase-induced formation of focal tight junctions in HT 29 adenocarcinoma cells does not require extracellular calcium (905) 48
Fernandes, A., see Rowe, E.S. (905) 151
Foster, E.S., see Dudeja, P.K. (905) 485

Gallay, J., see De Foresta, B. (905) 240
Gauthier, C., see Simonnet, H. (905) 465
Georghiou, S., see Bradrick, T.D. (905) 494
Gibbs, A.F., see Cairns, M.T. (905) 295
Gläser, H.-U. and Höfer, M.
Ion-dependent generation of the electrochemical proton

gradient $\Delta\tilde{\mu}_{H^+}$ in reconstituted plasma membrane vesicles from the yeast *Metschnikowia reukaufii* (905) 287
Grassl, S.M., Holohan, P.D. and Ross, C.R.
$Cl^- - HCO_3^-$ exchange in rat renal basolateral membrane vesicles (905) 475
Gutman, M., Nachliel, E., Bamberg, E. and Christensen, B.
Time-resolved protonation dynamics of a black lipid membrane monitored by capacitative currents (905) 390

Hama, H., Shimamoto, T., Tsuda, M. and Tsuchiya, T.
Properties of a Na^+-coupled serine-threonine transport system in *Escherichia coli* (905) 231
Helmich-de Jong, M.L., Van Emst-de Vries, S.E. and De Pont, J.J.H.H.M.
Conformational states of $(K^+ + H^+)$-ATPase studied using tryptic digestion as a tool (905) 358
Hendriks, H.G.C.J.M., Koninkx, J.F.J.G., Draaijer, M., Van Dijk, J.E., Raaijmakers, J.A.M. and Mouwen, J.M.V.M.
Quantitative determination of the lectin binding capacity of small intestinal brush-border membrane. An enzyme linked lectin sorbent assay (ELLSA) (905) 371
Hodârnău, A., see Benga, G. (905) 339
Höfer, M., see Gläser, H.-U. (905) 287
Holland, I.B., see Menestrina, G. (905) 109
Holohan, P.D., see Grassl, S.M. (905) 475
Horuk, R., see Matthaei, S. (905) 417

Ibarra, C., see Parisi, M. (905) 399
Iglesias, R.O. and Rega, A.F.
Gramicidin S inhibition of the Ca^{2+}-ATPase of human red blood cells (905) 383
Ikushiro, S.-i., see Kominami, S. (905) 143
Ince, C., Thio, B., Van Duijn, B., Van Dissel, J.T., Ypey, D.L. and Leijh, P.C.J.
Intracellular K^+, Na^+ and Cl^- concentrations and membrane potential in human monocytes (905) 195
Ipsen, J.H., Karlström, G., Mouritsen, O.G., Wennerström, H. and Zuckermann, M.J.
Phase equilibria in the phosphatidylcholine-cholesterol system (905) 162
Ishida, M., see Kitagawa, S. (905) 75

Jain, M.K. and Vaz, W.L.C.
Dehydration of the lipid–protein microinterface on binding of phospholipase A_2 to lipid bilayers (905) 1
James, P.S., see Smith, M.W. (905) 503
Janko, K. and Reichert, J.
Proton concentration jumps and generation of transmembrane pH-gradients by photolysis of 4-formyl-6-methoxy-3-nitrophenoxyacetic acid (905) 409

Kametani, F., see Kitagawa, S. (905) 75
Karlström, G., see Ipsen, J.H. (905) 162
Keelan, M., see Thomson, A.B.R. (905) 426
Kempson, S.A., see Bacon, R.A. (905) 268
Khalifah, R.G., see Rowe, E.S. (905) 151
Killian, J.A., see Tournois, H. (905) 222
Kitagawa, S., Ishida, M., Kotani, K. and Kametani, F.
Inhibitory effects of long-chain alkyltrimethylammonium ions on aggregation of bovine platelets and the relation of their effects to Ca^{2+} mobilization (905) 75
Knüttel, H., see Podzuweit, H.G. (905) 435
Kominami, S., Ikushiro, S.-i. and Takemori, S.
Two modes of binding of adrenal NADPH–cytochrome *P*-450 reductase to liposomal membranes (905) 143
König, T., see Colombini, M. (905) 279
Koninkx, J.F.J.G., see Hendriks, H.G.C.J.M. (905) 371
Kotani, K., see Kitagawa, S. (905) 75
Kramer, W.
Identification of identical binding polypeptides for cephalosporins and dipeptides in intestinal brush-border membrane vesicles by photoaffinity labeling (905) 65
Krebs, D., see Arnold, W.M. (905) 454
Kunimoto, M., Shibata, K. and Miura, T.
p-Chloromercuribenzoate-induced dissociation of cytoskeletal proteins in red blood cells of rats (905) 257

La Celle, P., see Shields, M. (905) 181
Leijh, P.C.J., see Ince, C. (905) 195
Lelkes, P.I., see Stutzin, A. (905) 205
Le Maire, M., see De Foresta, B. (905) 240

MacDonald, R.C. and Weingarten, R.J.
Determination of reflection coefficients of liposomes for some non-electrolytes by osmotic pressure measurement (905) 320
McIntosh, T.J., see Wilkinson, D.A. (905) 447
Mackman, N., see Menestrina, G. (905) 109
McWade, D., see Rangachari, P.K. (905) 311
Margalit, R., see Rotenberg, M. (905) 173
Masella, R., see Angelico, M. (905) 91
Matthaei, S., Olefsky, J.M. and Horuk, R.
Biochemical characterization and subcellular distribution of the glucose transporter from rat brain microvessels (905) 417
Menestrina, G., Mackman, N., Holland, I.B. and Bhakdi, S.
Escherichia coli haemolysin forms voltage-dependent ion channels in lipid membranes (905) 109
Minari, O., see Yoshino, H. (905) 100
Miura, T., see Kunimoto, M. (905) 257
Mohri, T., see Ohyashiki, T. (905) 57
Monti, J.A., Christian, S.T. and Schutzbach, J.S.
Effects of dolichol on membrane permeability (905) 133
Morris, H.R., see Cairns, M.T. (905) 295
Mouritsen, O.G., see Ipsen, J.H. (905) 162
Mouwen, J.M.V.M., see Hendriks, H.G.C.J.M. (905) 371

Nachliel, E., see Gutman, M. (905) 390

O'Connor, C.J., see Walde, P. (905) 30
O'Connor, C.J., see Walde, P. (905) 39
Ohyashiki, T., Taka, M. and Mohri, T.
Effect of neuraminidase treatment on the lipid fluidity of the intestinal brush-border membranes (905) 57
Olefsky, J.M., see Matthaei, S. (905) 417

Palmieri, F., see De Pinto, V. (905) 499
Panico, M., see Cairns, M.T. (905) 295

Parisi, M., Ibarra, C. and Porta, M.
Intracellular Ca^{2+} concentration and the antidiuretic hormone-induced increase in water permeability: effects of ionophore A23187 and quinidine (905) 399
Passow, H., see Shields, M. (905) 181
Paulais, M., see Teulon, J. (905) 125
Peters, R., see Shields, M. (905) 181
Plagemann, P.G.W., Woffendin, C., Puziss, M.B. and Wohlhueter, R.M.
Purine and pyrimidine transport and permeation in human erythrocytes (905) 17
Podzuweit, H.G., Schneider, K. and Knüttel, H.
Comparison of the membrane-bound hydrogenases from *Alcaligenes eutrophus* H16 and *Alcaligenes eutrophus* type strain (905) 435
Pollard, H.B., see Stutzin, A. (905) 205
Pop, V.I., see Benga, G. (905) 339
Popescu, O., see Benga, G. (905) 339
Porta, M., see Parisi, M. (905) 399
Presecan, E., see Benga, G. (905) 339
Prezioso, G., see De Pinto, V. (905) 499
Puziss, M.B., see Plagemann, P.G.W. (905) 17

Raaijmakers, J.A.M., see Hendriks, H.G.C.J.M. (905) 371
Rajotte, R.V., see Thomson, A.B.R. (905) 426
Rangachari, P.K., Donoff, B. and McWade, D.
Effects of TMB-8, a calcium antagonist, on transport properties of the isolated canine tracheal epithelium (905) 311
Reeve, J., see Anderson, R. (905) 227
Rega, A.F., see Iglesias, R.O. (905) 383
Reichert, J., see Janko, K. (905) 409
Reist, M., see Rindlisbacher, B. (905) 349
Revillard, J.-P., see Simonnet, H. (905) 465
Rindlisbacher, B., Reist, M. and Zahler, P.
Diacylglycerol breakdown in plasma membranes of bovine chromaffin cells is a two-step mechanism mediated by a diacylglycerol lipase and a monoacylglycerol lipase (905) 349
Rogard, M., see De Foresta, B. (905) 240
Ross, C.R., see Grassl, S.M. (905) 475
Rotenberg, M. and Margalit, R.
Porphyrin-membrane interactions: binding or partition? (905) 173
Rowe, E.S., Fernandes, A. and Khalifah, R.G.
Alcohol interactions with lipids: a carbon-13 nuclear magnetic resonance study using butanol labeled at C-1 (905) 151

Schmutzler, A.G., see Arnold, W.M. (905) 454
Schmutzler, R.K., see Arnold, W.M. (905) 454
Schneider, K., see Podzuweit, H.G. (905) 435
Scholz, M., see Shields, M. (905) 181
Schutzbach, J.S., see Monti, J.A. (905) 133
Shibata, K., see Kunimoto, M. (905) 257
Shields, M., La Celle, P., Waugh, R.E., Scholz, M., Peters, R. and Passow, H.
Effects of intracellular Ca^{2+} and proteolytic digestion of the membrane skeleton on the mechanical properties of the red blood cell membrane (905) 181
Shimamoto, T., see Hama, H. (905) 231
Silvius, J.R., see Stamatatos, L. (905) 81
Simonnet, H., Gauthier, C., Vincent, C. and Revillard, J.-P.
Rapid binding of β_2-microglobulin to renal brush-border membranes (905) 465
Smejtek, P., Wang, S. and Barstad, A.W.
Adsorption of ionized and neutral pentachlorophenol to phosphatidylcholine membranes (905) 213
Smith, M.W. and James, P.S.
Cellular origin of lactase decline in postweaned rats (905) 503
Stamatatos, L. and Silvius, J.R.
Effects of cholesterol on the divalent cation-mediated interactions of vesicles containing amino and choline phospholipids (905) 81
Stutzin, A., Cabantchik, Z.I., Lelkes, P.I. and Pollard, H.B.
Synexin-mediated fusion of bovine chromaffin granule ghosts. Effect of pH (905) 205
Sunamoto, J., see Walde, P. (905) 30
Sunamoto, J., see Walde, P. (905) 39
Svoboda, P., see Amler, E. (905) 376

Taka, M., see Ohyashiki, T. (905) 57
Takemori, S., see Kominami, S. (905) 143
Teisinger, J., see Amler, E. (905) 376
Teulon, J., Paulais, M. and Bouthier, M.
A Ca^2-activated cation-selective channel in the basolateral membrane of the cortical thick ascending limb of Henle's loop of the mouse (905) 125
Thewalt, J.L. and Cushley, R.J.
Phospholipid/cholesterol membranes containing *n*-alkanols: a ^{2}H-NMR study (905) 329
Thio, B., see Ince, C. (905) 195
Thomson, A.B.R., Keelan, M., Clandinin, M.T., Rajotte, R.V., Cheeseman, C.I. and Walker, K.
Treatment of the enhanced intestinal uptake of glucose in diabetic rats with a polyunsaturated fatty acid diet (905) 426
Tirrell, D.A., see Wilkinson, D.A. (905) 447
Tournois, H., Killian, J.A., Urry, D.W., Bokking, O.R., De Gier, J. and De Kruijff, B.
Solvent determined conformation of gramicidin affects the ability of the peptide to induce hexagonal H_{II} phase formation in dioleoylphosphatidylcholine model membranes (905) 222
Tsuchiya, T., see Hama, H. (905) 231
Tsuda, M., see Hama, H. (905) 231
Tsunoda, Y. and Wider, M.D.
Porcine ileal polypeptide causes an increase in cytoplasmic Ca^{2+} in both parietal and chief cells resulting in acid and pepsinogen secretion (905) 118
Tung, J., see Colombini, M. (905) 279
Turek, A.B., see Wilkinson, D.A. (905) 447

Urry, D.W., see Tournois, H. (905) 222

Van der Ven, H., see Arnold, W.M. (905) 454
Van Dijk, J.E., see Hendriks, H.G.C.J.M. (905) 371
Van Dissel, J.T., see Ince, C. (905) 195

Van Duijn, B., see Ince, C. (905) 195
Van Emst-de Vries, S.E., see Helmich-de Jong, M.L. (905) 358
Vaz, W.L.C., see Jain, M.K. (905) 1
Vincent, C., see Simonnet, H. (905) 465

Walde, P., Sunamoto, J. and O'Connor, C.J.
The mechanism of liposomal damage by taurocholate (905) 30
Walde, P., Sunamoto, J. and O'Connor, C.J.
Activity of bile-salt-stimulated human milk lipase in the presence of liposomes and mixed taurocholate-phosphatidylcholine micelles (905) 39
Walker, K., see Thomson, A.B.R. (905) 426
Wang, S., see Smejtek, P. (905) 213
Waugh, R.E., see Shields, M. (905) 181
Weingarten, R.J., see MacDonald, R.C. (905) 320
Wennerström, H., see Ipsen, J.H. (905) 162
Wider, M.D., see Tsunoda, Y. (905) 118
Wilkinson, D.A., Tirrell, D.A., Turek, A.B. and McIntosh, T.J.
Tris buffer causes acyl chain interdigitation in phosphatidylglycerol (905) 447
Woffendin, C., see Plagemann, P.G.W. (905) 17
Wohlhueter, R.M., see Plagemann, P.G.W. (905) 17
Wu, K.I., see Bacon, R.A. (905) 268

Yeung, C.L., see Colombini, M. (905) 279
Ying, A.L., see Bacon, R.A. (905) 268
Yoshino, H. and Minari, O.
Heat-induced dissociation of human erythrocyte spectrin dimer into monomers (905) 100
Ypey, D.L., see Ince, C. (905) 195

Zahler, P., see Rindlisbacher, B. (905) 349
Zimmermann, U., see Arnold, W.M. (905) 454
Zuckermann, M.J., see Ipsen, J.H. (905) 162